


- NOTES:
- DO NOT SCALE. USE FIGURED DIMENSIONS ONLY.
 - THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ARCHITECTURAL AND ENGINEERING DRAWINGS.

NOTE:
PUBLIC FOUL PIPE MATERIAL TO BE U-PVC (STIFFNESS CLASS B) AND IN COMPLIANCE WITH SECTION 3.13 OF IRISH WATER CODE OF PRACTICE.

NOTE:
FOUL SEWERS TO BE CONSTRUCTED WITH CONCRETE SURROUND IN ACCORDANCE WITH IRISH WATER STD-WW-08 WHERE VERTICAL CLEARANCE FROM SURFACE WATER IS LESS THAN 300mm AND WHERE DEPTH OF COVER TO ROAD IS LESS THAN 1.2m

LEGEND

- SW MH 7 CL 94.300 IL 90.752 PROPOSED SURFACE WATER SEWER & MANHOLE WITH REFERENCE & INVERT LEVEL
- SW MH 5 CL 93.30 IL 91.652 PROPOSED SURFACE WATER SEWER DITCH DIVERSION & MANHOLE WITH REFERENCE & INVERT LEVEL
- F MH 7 CL 93.680 IL 91.297 PROPOSED FOUL WATER SEWER & MANHOLE WITH REFERENCE & INVERT LEVEL
- PROPOSED SURFACE WATER PRIVATE HOUSE CONNECTION AND INSPECTION CHAMBER
- PROPOSED FOUL WATER PRIVATE HOUSE CONNECTION AND INSPECTION CHAMBER
- PROPOSED PERMEABLE PAVED SURFACE
- EX 225ø SX CL X IL X EXISTING SURFACE WATER SEWER WITH PIPE SIZE, GRADE, MANHOLE REF. AND INVERT LEVEL
- EX 225ø FX CL X IL X EXISTING FOUL WATER SEWER & MANHOLE WITH REFERENCE & INVERT LEVEL
- PROPOSED HEADWALL
- PROPOSED SWALE
- PROPOSED LAND DRAIN



ISSUED FOR PLANNING	MS	JG
REV. DATE	AMENDMENT	DRN APPD

STATUS **FOR PLANNING ONLY**
NOT FOR CONSTRUCTION

Waterman Moylan
Engineering Consultants
BLOCK 8, EASTPOINT BUSINESS PARK, ALFIE BYRNE ROAD,
DUBLIN D03 H3F4 IRELAND. Tel: (01) 664 8900
Email: info@waterman-moylan.ie www.waterman-moylan.ie

CLIENT **GRAFTON ISSUER DAC**
ARCHITECT **OMP ARCHITECTS**
PROJECT **RESIDENTIAL DEVELOPMENT AT CARRICKMINES GREAT GLENAMUCK ROAD SOUTH DUBLIN 18**

TITLE **DRAINAGE LAYOUT SHEET 3 OF 3**

DRAWN NFA	DESIGNED LRG	APPROVED JG	DATE JULY 2022
SCALE 1:250 @A1	JOB NO. 21-111	DRG. NO. P023	REVISION

PLAN VIEW – DRAINAGE LAYOUT – SHEET 2 OF 3