



ISSUE	DESCRIPTION	DRN	ORIG	APP	DATE
D	FOR INFORMATION	RT	TMC	TMC	29/07/2022
C	FOR INFORMATION	RT	TMC	TMC	27/07/2022
B	FOR INFORMATION	RT	TMC	TMC	20/07/2022
A	FOR INFORMATION	RT	TMC	TMC	16/08/2022

McElligott
CONSULTING ENGINEERS
D4 Riverview Business Park, Nangor Road, Dublin 12
tel: +353 (0)1 424 3014 email: info@mcelligott.ie web: www.mcelligott.ie

CLIENT: **GRAFTON ISSUER DAC**

PROJECT: **CARRICKMINES GREAT SHD**

TITLE: **EIR SITE SERVICES LAYOUT**

SHEET	SCALE	PROJECT No.	DRAWING No.
A1	1:500	22018	E002

NOTES

- DO NOT SCALE. USE FIGURED DIMENSIONS ONLY.
- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ARCHITECTURAL AND ENGINEERING DRAWINGS.
- APPROXIMATE LOCATION OF EXISTING SITE BOUNDARY EIRCOM CHAMBER
- EIRCOM SUPPLYFRAMES AND COVERS AND MANHOLES. 110mm DUCT ETU WHERE APPLICABLE ETC FOR THE INSTALLATION OF EIRCOM NETWORK.
- FLEXIBLE DUCT FROM ETU TO NTU. FOOTWAY AND CARRIAGEWAY CHAMBERS TO BE SUPPLIED BY DEVELOPER.
- THIS PROPOSAL IS SUBJECT TO APPROVAL FROM THE LOCAL AUTHORITY, EIR REPRESENTATIVE & PLANNING PERMISSION
- THIS DRAWING IS FOR INFORMATION ONLY AND WILL BE SUPERSEDED ON RECEIPT OF EIR FINAL DESIGN DRAWING.
- CARRIAGEWAY CHAMBERS TO BE USED IN HOMEZONE AREAS
- EIR ENGINEER TO CONFIRM CONNECTION POINTS

LEGEND

- TWIN WALLED Ø100mm DUCT ON FOOTWAY TO EIR SPEC.
- Ø38mm HYDRODARE TO EACH HOUSE ETU TO EIR SPEC.
- INGROUND FOOTWAY CHAMBER TO EIRCOM SPEC (JB2 / JB4 / JB4A TYPE).
- NODE 4 EIRCOM CABINET 1015mm(H) x 450mm(W) x 410mm(D)
- EIRCOM ETU CABINET - 300 (h) x 220 (w) x 175mm DEEP